AVERAGE

а

1. If a, b, c, d, e are five consecutive odd integers, then what is their average?

(2) $\frac{\text{abcd}}{5}$

- (1) a + 4
- (3) 5(a+b+c+d+e) (4) a+8
- (5) None of these
- 2. The average age of 24 students and the class teacher is 16 years. If the class teacher's age is excluded, the average reduces by 1 year. What is the age of the class teacher?
 - (1) 50 years
 (2) 45 years
 (3) 40 years
 (4) D a t
 - inadequate
 - (5) None of these
- 3. The average of 8 numbers is 14. If 2 is subtracted from each given number, then what will be the new average?
 - (1) 12 (2) 10
 - (3) 16 (4) 15
 - (5) None of these
- 4. The average age of x numbers is 3x. If x 1 is subtracted from each given number, then what will be the new average?
 - (1) 2x+1 (2) 3(x-(1))

 - (5) None of these
- 5. The average age of 34 boys in a class is 14 years. If the teacher's age is included, the average age of boys and the teacher becomes 15 years. What is the teacher's age?
 - (1) 48 years (2) 46 years
 - (3) 49 years (4) 45 years
 - (5) None of these
- 6. The average of 40 numbers is 405. If each of the number is divided by 15, then find the average of new set of numbers.

(1) 27 (2) 28

- (3) 21
- (5) None of these
- 7. The average of 8 numbers is 21. If each of the number is multiplied by 8, then find the average of new set of numbers.

(4) 26

- (1) 168 (2) 167
- (3) 158 (4) 161
- (5) None of these
- 8. The average weight of 8 persons increases by 1.5kg, if a person weighing 65kg is replaced by a new person. What could be the weight of the new person?
 - (1) 76 kg (2) 77 kg (3) 76.5 kg (4) D a t a inadequate

(5) None of these

- 9. In a class, there are 24 boys whose average age is decreased by 3 months, when 1 boy aged 20 years is replaced by a new boy. Find the age of the new boy.
 - (1) 14 years (2) 16 years
 - (3) 17 years (4) 18 years
 - (5) None of these
- 10. The average of marks obtained by 77 candidates in a certain examination is 17. If the average marks of passed candidates are 19 and that of the failed candidates are 8, then what is the number of candidates who passed the examination?
 - (1) 36 (2) 63
 - (3) 40 (4) 70
 - (5) None of these
- 11. A batsman in his 16th innings makes a score of 92 and thereby increases his average by 4. What is his average after 19 innings?
 - (1) 32 (2) 30
 - (3) 34 (4) 23
 - (5) None of these

| 12. | A constant distance from A to B is covered by a |
|-----|---|
| | man at 40km/hr. The person rides back the same |
| | distance at 60 km/hr. Find his average speed during |
| | the whole journey. |

- (1) 48km/hr (2) 50km/hr
- (3) 44km/hr (4) 52km/hr
- (5) None of these
- 13. The average salary of the entire staff in an office is Rs 130 per month. The average salary of officers is Rs 540 and that of non-officers is Rs 114. If the number of officers is 16, then find the number of non-officers in the office.
 - (1) 140 (2) 410
 - (3) 510 (4) 150
 - (5) None of these
- 14. A car runs for t₁ hours at v₁ km/hr and t₂ hours at v₂ km/hr. What is the average speed of the car for the entire journey?

(1)
$$\frac{t_1 + t_2}{v_1 t_1 + v_2 t_2}$$
km / hr

(2)
$$\frac{v_1t_1 + v_2t_2}{t_1 + t_2}$$
 km / hr

(3)
$$\frac{v_1t_1 + v_2t_1}{t_1 + t_2}$$
 km / hr

- $(4) \quad \frac{v_{_{1}} + v_{_{2}}}{v_{_{1}}t_{_{1}} + v_{_{2}}t_{_{2}}} km \, / \, hr$
- (5) None of these
- 15. A car runs 'x' km at an average speed of v₁ km/ hr and 'y' km at an average speed of v₂ km/hr. What is the average speed of the car for the entire journey?
 - (1) $\frac{v_1v_2(x+y)}{xv_2+yv_1}$ km/hr
 - (2) $\frac{xv_2 + yv_1}{v_1v_2(x+y)}$ km / hr
 - (3) $\frac{xy(v_1 + v_2)}{xv_1 + yv_2}$ km / hr
 - (4) $\frac{(xv_1 + yv_2)}{xy(v_1 + v_2)}$ km / hr
 - (5) None of these
- 16. An aeroplane covers the four sides of square field

at speeds of 200, 400, 600 and 800 km/hr. The average speed of the plane in the entire journey is

- (1) 600km/hr (2) 400km/hr
- (3) 500km/hr (4) 384km/hr
- (5) None of these
- 17. The mean of the marks obtained by 100 students is 60. If the marks obtained by one of the students was incorrectly calculated as 75, whereas the actual mark obtained by him was 65, then what is the correct mean of the marks obtained by the students?
 - (1) 59 (2) 58.50
 - (3) 50
 - (5) None of these
- **18.** In one-day cricket match the captain of one the teams scored 30 runs more than the average runs scored by the remaining six batsmen of that team who batted in the match. If the total runs scored by all the batsmen of that team were 310, then how many runs did the captain score?

(4) 55

- (1) 60
- (2) 70
- (3) 50
- (4) Cannot be determined
- (5) None of these
- **19.** The average of four numbers A, B, C and D is 40. The average of four numbers A, B, E and F is also 40. (A, B are common). Which of the following must be true?
 - (1) $(A + B \neq C + D)$ (2) (C + D = E + F)
 - (3) Either C = E or F; and D = F = or E
 - (4) The data set has even numbers of observations
 - (5) None of these
- **20.** The average of four positive integers is 72.5, the highest integer is 117 and the lowest integer is 15. The difference between the remaining two integers is 12. Which is the higher of these two remaining integers?
 - (1) 73
 - (2) 84
 - (3) 70
 - (4) Cannot be determined
 - (5) None of these

| 21. | A, B, C and D are four consecutive even numbers respectively and their average is 65. What is the product of A and D? | | | | | | | | | | |
|-----|--|-------------------------|-------|-----------------|------|--|--|--|--|--|--|
| | (1) | 3968 | (2) | 4216 | Ň | | | | | | |
| | (3) | 4092 | (4) | 4352 | Ň | | | | | | |
| | (5) | None of these | | | 28 | | | | | | |
| 22. | The sum of five numbers is 555. The average of the first two numbers is 75 and the third number i 115. What is the average of the last two numbers | | | | | | | | | | |
| | (1) | 145 | (2) | 290 | (| | | | | | |
| | (3) | 265 | (4) | 150 | (| | | | | | |
| | (5) | None of these | | | (| | | | | | |
| 23. | • The average age of A, B and C is 26 years. If th average age of A and C is 29 years, then what i the age of B in years? | | | | | | | | | | |
| | (1) | 26 years | (2) | 20 years | (| | | | | | |
| | (3) | 24 years | (4) | 23 years | | | | | | | |
| | (5) | None of these | | | | | | | | | |
| 24. | The sum of three consecutive even numbers is 44 more than the average of these numbers. Which of the following is the third (largest) of these numbers? | | | | | | | | | | |
| | (1) | 16 | | | 1 | | | | | | |
| | (2) | 18 | | | | | | | | | |
| | (3) | 24 | | | | | | | | | |
| | (4) | Cannot be determined | ł | | | | | | | | |
| | (5) None of these | | | | | | | | | | |
| 25. | • Average weight of 10 boys is more than the average weight of 15 girls by 5kg. If the tota weight of the 10 boys is 550, what is the average weight of the 10 boys and 15 girls together? | | | | | | | | | | |
| | (1) | 52 kg | (2) | 52.5 kg | (| | | | | | |
| | (3) | 53 kg | (4) | 53.5 kg | (| | | | | | |
| | (5) | None of these | | | 32. | | | | | | |
| 26. | The average age of a class of 65 boys was 14 years, the average age of 20 of them was 14 years, and that of another 15 was 12 years. Find the average age of the remaining boys. | | | | | | | | | | |
| | (1) | 16 years | (2) | 13 years | (| | | | | | |
| | (3) | 17 years | (4) | 15 years | 22 7 | | | | | | |
| | (5) | None of these | | | 33. | | | | | | |
| 27. | A, E | B, C and D are four con | secut | ive odd numbers | 1 | | | | | | |

and their average is 42. What is the product of B and D?

- (1) 1136 (2) 1340
- 3) 1845 (4) 1965
- (5) None of these
- **28.** The sum of five numbers is 260. The average of the first two numbers is 30 and average of the last two numbers is 70. What is the third number?
 - (1) 33
 - (2) 60
 - (3) 75
 - (4) Cannot be determined
 - (5) None of these
- **29.** The average of 5 consecutive odd numbers A, B, C, D and E is 47. What is the product of A and D?
 - (1) 2107 (2) 1935
 - (3) 2021 (4) 2193
 - (5) None of these
- **30.** The average weight of three men A, B and C is 84 kg. D joins them and the average weight of the four becomes 80 kg. If E, whose weight is 3kg more than that of D, replaces A, the average weight of B, C, D and E becomes 79 kg. The weight of A is
 - (1) 65 kg (2) 70 kg
 - (3) 75 kg (4) 80 kg
 - (5) None of these
- **31.** Ajay scored 20, 30, 60, 25 and 40 marks in five subjects. What is his average mark in five subjects?
 - (1) 35 (2) 30
 - (3) 32.5 (4) 38
 - (5) None of these
- **32.** The average of 5 quantities is 6. The average of 3 of them is 8. What is the average of the remaining two numbers?
 - (1) 4 (2) 3
 - (3) 3.5 (4) 4.2
 - (5) None of these
- **33.** The average temperature on Wednesday, Thursday and Friday was 250°c. The average temperature on Thursday, Friday and Saturday was

240°c. If the temperature on Saturday was 270°c, what was the temperature on Wednesday?
(1) 310 (2) 325

- (1) 510 (2) 523
- (3) 275 (4) 300
- (5) None of these
- **34.** The average rainfall for the 3 days out of five days was recorded to be 0.45 inches. The rainfall on the last two days was in the ratio 2 : 3. The average of five days was 0.40 inches. What was the rainfall on the last day?
 - (1) 0.385 (2) 0.39
 - (3) 0.375 (4) 0.42
 - (5) None of these
- **35.** When a student weighing 45 kgs left a class, the average weight of the remaining 59 students increased by 200g. What is the average weight of the remaining 59 students?
 - (1) 40 kg (2) 32 kg
 - (3) 33.5 kg (4) 35 kg
 - (5) None of these
- **36.** The average weight of a class of 24 students is 36 kg. When the weight of the teacher is also included, the average weight increases by 1kg. What is the weight of the teacher?
 - (1) 61 kg (2) 55 kg
 - (3) 64 kg (4) 60 kg
 - (5) None of these
- **37.** The average of 5 quantities is 10 and the average of 3 of them is 9. What is the average of the remaining 2?
 - (1) 11 (2) 15
 - (3) 10.5 (4) 11.5
 - (5) None of these
- **38.** The average age of a family of 5 members is 20 years. If the age of the youngest member be 10 years then what was the average age of the family at the time of the birth of the youngest member?
 - (1) 12.5 (2) 15
 - (3) 22 (4) 11
 - (5) None of these
- **39.** A student finds the average of 10 positive integers. Each integer contains two digits. By mistake, the boy interchanges the digits of one number say 'ba'

for 'ab'. Due to this, the average becomes 1.8 less than the previous one. What was the difference of the two digits a and b?

- (1) 1 (2) 2.4
- (3) 2.2 (4) 2
- (5) None of these
- **40.** Average cost of 5 apples and 4 mangoes is Rs. 36. The average cost of 7 apples and 8 mangoes is Rs. 48. Find the total cost of 24 apples and 24 mangoes
 - (1) 3444 (2) 2088
 - (3) 2064 (4) 3032
 - (5) None of these
- **41.** If the mean of numbers 28, x, 42, 78 and 104 is 62, then what is the mean of 128, 255, 511, 1023 and x?
 - (1) 390 (2) 409
 - (3) 368 (4) 324
 - (5) None of these
- **42.** The average age of a group of 10 students was 20. The average age increased by 2 years when two new students joined the group. What is the average age of the two new students who joined the group?
 - (1) 35.5 (2) 27.5
 - (3) 32 (4) 30
 - (5) None of these
- **43.** The average of 6 quantities is 12. The average of 4 of them is 9. What is the average of the remaining two numbers?
 - (1) 14 (2) 12.75
 - (3) 14.25 (4) 15
 - (5) None of these
- **44.** The average of 20 numbers is zero. One of them, at most, how many may be greater than zero?
 - (1) 15 (2) 17
 - (3) 20 (4) 19
 - (5) None of these
- **45.** The average weight of a group of 30 friends increases by 1 kg when the weight of their football coach was added. If average weight of the group after including the weight of the football coach is 31kgs, what is the weight of their football coach
- Add. 41-42A, Ashok Park Main, New Rohtak Road, New Delhi-110035 +91-9350679141

- in kgs? (1) 61 (2) 30 (3) 64 (4) 60 (5) None of these 46. The arithmetic mean of the 5 consecutive integers starting with's' is 'a'. What is the arithmetic mean of 9 consecutive integers that start with s + 2? (1) a + 8(2) a + 6(3) a + 2.4(4) a + 5(5) None of these 47. 10 kg of rice priced at Rs. 12 per kg is mixed with 6 kg of rice priced at Rs.16 per kg. What is the average price of the whole mixture? (1) 7.5 (2) 10 (3) 8.3 (4) 9 (5) None of these 48. Rahul Ghosh walks from A to B at 8 km/h and comes back from B to A at 12 km/h. What is his average speed for the entire journey? (1) 9 kmph (2) 9.6 kmph (3) 10 kmph (4) 12 kmph (5) None of these **49.** In a class of 60 students, the average height of 30 students is 'x' cm and that of the remaining students is 'y' cm. Find the average height of the whole class. (1) (3x+2y)/2(2) (x+y)/2(4) (x+2y)/2(3) (2x+y)/2(5) None of these **50.** The average of seven consecutive even numbers is 10. If the next three even numbers are included, then what is the new average? (2) 12.2 (1) 6.8 (4) 8.2 (3) 11.8 (5) None of these 51. The average of the amount of money that 10 girls have is Rs.45. When two more girls join, the average increases by Rs. 2. Find the average amount of the two new girls. (1) 57 (2) 47 (3) 60 (4) 50 (5) None of these
- **52.** The average weight of seven members of a family is 18 kg. If the head of the family is not considered, the average weight of the others would be 5 kg less. The weight of the head of the family is
 - (1) 55kg (2) 50kg
 - (3) 48 kg (4) 60kg
 - (5) None of these
- 53 What is the average of the first 15 multiples of 3?

(4) 21

- (1) 30 (2) 15
- (3) 27
- (5) None of these
- **54.** The average age of 7 members of the family is 25 years. If one of the members, whose age is 28 years, is excluded, then others are in the ratio 1:2:3:4:5:6. Find the age of the eldest member of the family.
 - (1) 42 years (2) 62 years
 - (3) 58 years (4) 48 years
 - (5) None of these
- **55.** 5 kg of rice priced at Rs. 10 per kg is mixed with 6 kg of rice priced at Rs.12 per kg. What is the average price of the whole mixture?
 - (1) Rs. 4.5/kg (2) Rs. 4.8/kg
 - (3) Rs.5.5/kg (4) Rs. 5.54/kg
 - (5) None of these
- **56.** The average weight of five members of a team is 20 kg. If the captain of the team is not considered, the average weight of the others would be 4 kg less. The weight of captain is
 - (1) 44 (2) 36
 - (3) 40 (4) 38.6
 - (5) None of these
- 57. The average of 50 numbers is 30. If two numbers, 35 and 40 are discarded, then the average of the remaining numbers is nearly
 - (1) 29 (2) 28.86
 - (3) 30 (4) 29.68
 - (5) None of these
- 58. The average of five numbers is 27. If one number is excluded, the average becomes 25. The excluded number is

(4) 32.5

- (1) 35 (2) 25
- (3) 27

| 50 | (5) TI | None of these | 1 · | · · · · · · · · · · · · · · · · · · · | | he brings down the average to 400 kg. What i the weight of new wrestler? | | | | | |
|-------------------|--|--|------------------------------|--|-----|--|---|--------------|-----------------|--|--|
| 59. | The vear | average age of 35 st s. The average age of | udents 21 stue | dents is 14. What | | (1) | 100 kgs | (2) | 190 kgs | | |
| | is the average age of remaining 14 students? | | | | | (3) | 150 kgs | (4) | 250 kgs | | |
| | (1) | 18 years | (2) | 15.5 years | | (5) | None of these | (-) | | | |
| | (3) | 17 years | (4) | 19 years | 66. | Ani | 1 married 10 years | ago at the | age of 27 year | | |
| | (5) | None of these | | | 00. | His | wife was 23 year | s old then | . Six years aft | | |
| 60. | Thre 5 me child | e years ago, the avera embers was 17 years. I in the family, the pre | ige age Inspite sent a | e of the family of e of the birth of a verage age of the | | their marriage, the average age of Anil, his with and their son was 22 years. After how many year of Anil marriage was his son born? | | | | | |
| | fami | ly remains the same. | The p | resent age of the | | (1) | 1 | (2) | 1.6 | | |
| | child | 18 | (-) | | | (3) | 2 | (4) | 2.4 | | |
| | (1) | 2.5 years | (2) | 3.5 years | | (5) | None of these | | | | |
| | (3) | 5 years | (4) | 2 years | 67. | Average age of A, B and C is 84 years however | | | | | |
| | (5) | None of these | | | | when D joins them, then the average comes dow to 80. Now, new person E whose age is 3 year more than D replaces A and the new average 79 years. What is the age of A? | | | | | |
| 51. | A ba innir runs | atsman has a certain a sectain a sec | averag , he ma his av | ge of runs for 16 akes a score of 85 erage by 3 runs. | | | | | | | |
| | Wha | it is the average after | the 17 | th inning? | | (1) | 60 years | (2) | 57 years | | |
| | (1) | 45 | (2) | 90 | | (3) | 65 years | (4) | 82 years | | |
| | (3) | 87 | (4) | 70 | | (5) | None of these | | | | |
| | (5) | None of these | | | 68. | The | average of the fir | st nine pri | me numbers is | | |
| 62. | The average age of two-third of the class is 1 What should be the average age of the remaining one-third students so that the average age of the | | | | | (1) | 11.11 | (2) | 19.3 | | |
| | | | | | | (3) | 14 | (4) | 13.7 | | |
| | entir | re class is 20? | | 0.0 | 69. | (5) | None of these | | | | |
| | (1) | 29 years | (2) | 26 years | | The average of first six numbers is 24 and th average of first five numbers is 20. What is th value of the sixth number? | | | | | |
| | (3) | 30 years | (4) | 25 years | | | | | | | |
| | (5) | None of these | | | | (1) | 40 | (2) | 24 | | |
| 63. | In a | school, the average | weight | t of 30 girls in a | | (3) | 32 | (4) | 30 | | |
| | class of 50 students is 16 kg and that of the remaining students is 15.5 kg. What is the average | | | | | (5) | None of these | | | | |
| | weig | weight of all the students in the class? | | | | | Average age of A, B and C is 64 years however | | | | |
| | (1) | 15.5 | (2) | 15.8 | | when D joins them, then the average comes dow to 60. Now, new person E whose age is 4 year more than D replaces A and the new average | | | | | |
| | (3) | 15.75 | (4) | 5.9 | | | | | | | |
| | (5) | None of these | | | | 59 y | years. What is the | age of A? | C | | |
| 64. | In w | hat ratio must 35% sp | irit be | mixed with pure | | (1) | 70 years | (2) | 56 years | | |
| | spiri | t to get a resultant sol | ation c | 01 56% spirit? | | (3) | 60 years | (4) | 50 years | | |
| | (1) | 56/21 | (2) | 45/21 | | (5) None of these | | | | | |
| | (3) | 45/55 | (4) | 44/21 | 71. | What is the average of the square of the first | | | | | |
| <i>(</i> - | (S) TI | None of these | | | | nati | iral numbers? | (2) | 1 (77 5 | | |
| 55. | 1 ne average weight of five wrestlers in a group is 450 kg. If another wrestler joins the group, then | | | | | (1) | 13/9 | (2) | 10//.5 | | |
| | | | 5 | <i>J</i> 1 , | | (3) | 1400 | (4) | 2144.8 | | |

| | (5) | None of t | hese | | | | | the class, the average of those present goes up b | | | | | s up by | |
|-----|---|--|------------------------|----------------------|---------------------|---------------------------------------|-----------|--|---|--|-----------|-----------|---------|--|
| 72. | In w milk | hat ratio n to get a re | nust 25% sultant so | milk be lution of | mixed w f 40% mi | vith pure ilk? | | 1. H orig | Iow many inally? | students | were th | ere in th | e class | |
| | (1) | 12/5 | | (2) | 25/40 | | | (1) | 11 | | (2) | 16 | | |
| | (3) | 14/5 | | (4) | 15/4 | | | (3) | 13 | | (4) | 15 | | |
| | (5) | None of t | hese | | | | | (5) | None of t | hese | | | | |
| 73. | 3. The average age of 7 members of the family is | | | | | | | Wha | at is the av | erage of fi | rst fifty | even nur | nbers? | |
| | 30. If one of the members, whose age is 42 years, | | | | | | | (1) | 2555 | | (2) | 2255 | | |
| | Find the age of the second eldest member of the | | | | | | | (3) | 2550 | | (4) | 2500 | | |
| | family. | | | | | | | (5) | None of t | hese | | | | |
| | (1) | 42 years | (2) |) 39 years | | | 151 | itres of pu | re milk ar | e added | to 30 lit | res of a | | |
| | (3) | 38 years | | (4) | 44 year | rs | | milk solution containing 15% milk. Find the | | | | | | |
| | (5) | None of t | hese | | | | | (1) | | of the resu | (2) | 75 50/ | | |
| 74. | The | The average age of one-third of the class is 27. | | | | | | | 02.370 750/ | | (2) | 75.570 | | |
| | two- | third stude | ents so th | age age | verage ag | ge of the | | (5) | 7370 Name 6 | 1 | (4) | /0.3% | | |
| | enti | re class is 2 | class is 20? | | | | | (5) | None of t | nese | | 11 | 1 0 | |
| | (1) | 18.6 year | S | (2) | 22 year | rs | 79. | What | at is the av | erage of fi | rst fifty | odd num | bers? | |
| | (3) | 17 years | | (4) | 16.5 ye | ars | | (1) | 2255 | | (2) | 2500 | | |
| | (5) None of these | | | | | | | (3) | 2550 | | (4) | 2555 | | |
| 75. | Wha | at is the ave | erage of fi | irst 300 r | natural n | umbers? | | (5) | None of t | hese | | | | |
| | (1) | 148 | | (2) | 150.5 | | 80. | 80. Find the average of all the numbers between 6 and 34 which are divisible by 5 | | | | | | |
| | (3) | 144 | (4) | 152 | | | (1) | 24 5 | | (2) | 20.25 | | | |
| | (5) | None of t | hese | | | | | (1) (2) | 24.5 | | (2) | 20.25 | | |
| 76. | The | average a | ge of the | students | s in a cla | ass is 35 | | (5) | 25 None of t | hasa | (4) | 22.3 | | |
| | year | s. If a stude | ent whose | e age 1s 2 | 5, 15 abs | ent from | | (3) | Indite of t | nese | | | | |
| | | | | | A | NS | WI | ER | S | | | | | |
| | | | | | | | | | | | | | | |
| | 1. | 1 | 15. | 1 | 29. | 1 | 43. | | 5 57. | 4 | 71. | 2 | | |
| | $\begin{vmatrix} 2.\\ 3 \end{vmatrix}$ | | 16. 17 | 4 | 30. 31 | 3 | 44. | · ' | 4 58. 1 59 | $\begin{bmatrix} 1\\ 4 \end{bmatrix}$ | 72. | | | |
| | 4. | 3 | 18. | 2 | 32. | 2 | 46. | | 2 60. | 4 | 74. | 4 | | |
| | 5. | 3 | 19. | 2 | 33. | 4 | 47. | | 3 61. | 5 | 75. | 2 | | |
| | 6. 7 | | 20. 21 | 5 2 | 34. 35 | $\begin{vmatrix} 2\\ 3 \end{vmatrix}$ | 48. 49 | | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | $\frac{2}{2}$ | 76. | | | |
| | 8. | 2 | 21. | 1 | 36. | 1 | 50. | | 5 64. | 4 | 78. | 4 | | |
| | 9. | 1 | 23. | 2 | 37. | 4 | 51. | | 1 65. | 3 | 79. | 2 | | |
| | 10. | 2 | 24. 25 | 3 | 38. 39 | | 52. | | 3 66. 5 67 | $\begin{vmatrix} 3 \\ 2 \end{vmatrix}$ | 80. | 5 | | |
| | 12 | 1 | 2 <i>5</i> . 26. | 4 | 40. | 2 | 54. | | 1 68. | $\begin{vmatrix} 2\\1 \end{vmatrix}$ | | | | |
| | 13 | 2 | 27. | 3 | 41. | 5 | 55. | | 4 69. | 5 | | | | |
| | 14. | 2 | 28. | 2 | 42. | 3 | 56. | | 2 [70. | 2 | | | | |
| | Z | Ado | 1. 41-42 | A, Asho | k Park | Main, N 1 025 | lew R | lohta | k Road, I I ⊿ 1 | New Delh | i-1100. | 35 | | |
| | | | | | +9. | 1-232 | 000 | 19] | .41 | | | | | |