
## Exerise 6.1

**1.** In figure given below, lines AB and CD intersect at 0. If  $\angle$  AOC +  $\angle$  BOE = 70° and  $\angle$  BOD = 40°, find  $\angle$  BOE and reflex  $\angle$  COE.



Sol. Ray OE stands on line AB.

$$\therefore$$
  $\angle AOE + \angle EOB = 180^{\circ}$ 

[Linear pair]

$$\Rightarrow (\angle AOC + \angle COE)$$

$$+ \angle EOB = 180^{\circ}$$

 $\Rightarrow (\angle AOC + \angle EOB) + \angle COE = 180^{\circ}$  $\Rightarrow 70^{\circ} + \angle COE = 180^{\circ}$ 

[: 
$$\angle AOC + \angle BOE = 70^{\circ}$$
 (given)]

$$\Rightarrow$$
  $\angle COE = 110^{\circ}$  ...(ii)

$$\therefore$$
 Reflex  $\angle$  COE = 360° -  $\angle$  COE = 360° - 110° = 250°.

Also, 
$$\angle AOC = \angle BOD = 40^{\circ}$$
 ...(iii)

[Vertically opposite angles]

₹<u>40°</u>


 $L_{\mathsf{D}}$ 

...(i)

$$40^{\circ} + 110^{\circ} + \angle BOE = 180^{\circ}$$

$$\Rightarrow \angle BOE = 180^{\circ} - 150^{\circ} = 30^{\circ}.$$

2. In figure given below, lines XY and MN intersect at 0. If  $\angle POY = 90^{\circ}$  and a:b=2:3, find c.



**Sol.** Ray OP stands on line XY.

$$\therefore \qquad \angle XOP + \angle POY = 180^{\circ}$$

[Linear pair] 🦎

$$\Rightarrow$$
  $\angle XOP + 90^{\circ} = 180^{\circ}$ 

$$\Rightarrow$$
  $\angle XOP = 90^{\circ}$ 

$$\Rightarrow \angle XOM + \angle MOP + = 90^{\circ}$$

$$\Rightarrow$$
  $b + a = 90^{\circ}$ 

Also, 
$$a:b=2:3$$
  $\Rightarrow \frac{a}{b}=\frac{2}{3}$   $\Rightarrow a=\frac{2b}{3}$  ...(ii)

$$\Rightarrow b + \frac{2b}{3} = 90^{\circ} \Rightarrow \frac{5b}{3} = 90^{\circ}$$
 [From (i), (ii)]

$$\Rightarrow$$
  $b = 54^{\circ}$  ...(iii)

From (i), we get

$$54^{\circ} + a = 90^{\circ} \implies a = 36^{\circ}$$

$$\angle NOY = \angle XOM$$
  
 $\Rightarrow \angle NOY = b = 54^{\circ}$ 

Ray NO stands on line XY.

$$\therefore$$
  $\angle$ XON +  $\angle$ NOY = 180°

$$\Rightarrow$$
  $c + 54^{\circ} = 180^{\circ}$ 


$$\Rightarrow$$
  $c = 180^{\circ} - 54^{\circ} = 126^{\circ}$ 

$$\therefore$$
  $a = 36^{\circ}, b = 54^{\circ}, c = 126^{\circ}.$ 

[From (*iv*)]

...(i)

3. In the given figure,  $\angle PQR = \angle PRQ$ , then prove that  $\angle PQS = \angle PRT$ .



**Sol.**  $\angle PQR = \angle PRQ$  ...(*i*) [Given]

Line segment PQ stands on ST.  

$$\therefore$$
  $\angle$ PQS +  $\angle$ PQR = 180°

...(ii) [Linear pair]


Line segment PR stands on ST.

$$\therefore$$
  $\angle PRQ + \angle PRT = 180^{\circ}$  ...(iii) [Linear pair]

From (ii) and (iii), we get

$$\angle PQS + \angle PQR = \angle PRQ + \angle PRT$$
  
  $\angle PQS = \angle PRT$ . [Using (i)]

**4.** In figure given below, if x + y = w + z, then prove that AOB is a line.



**Sol.** We have 
$$x + y + z + w = 360^{\circ}$$
 ...(*i*)

Also x + y = z + w ...(ii) [Given]

$$(x + y) + (x + y) = 360^{\circ}$$
 [From (i), (ii)]

$$\Rightarrow$$
 2(x + y) = 360°


$$\Rightarrow x + y = 180^{\circ} \qquad \dots(iii)$$

As ray CO stands on line AB, such that

$$x + y = 180^{\circ}$$
 [From (iii)]

Hence, AOB is a straight line.

5. In the adjoining figure, POQ is a line. Ray OR is perpendicular to line PQ. OS is another ray lying between rays OP and OR. Prove that



$$\angle ROS = \frac{1}{2} (\angle QOS - \angle POS)$$

Sol. Ray OR is perpendicular to line PQ.

∴ 
$$\angle POR = \angle QOR$$
 ...(i)

and  $\angle POR + \angle QOR = 180^{\circ}$  [Linear pair]

⇒  $2\angle POR = 180^{\circ}$  ...(ii) [Using (i)]

∴ Also ray OS stands on line PQ.

∴  $\angle POS + \angle QOS = 180^{\circ}$  [Linear pair]

⇒  $\angle POS + \angle QOS = 2\angle POR$  [From (ii)]

⇒  $\angle POS + \angle QOS = 2(\angle POS + \angle ROS)$ 

⇒  $\angle POS + \angle QOS = 2\angle POS + 2\angle ROS$ 

⇒  $\angle POS + \angle QOS = 2\angle POS + 2\angle ROS$ 

⇒  $\angle POS + \angle QOS = 2\angle POS + 2\angle ROS$ 

⇒  $\angle POS = 2\angle POS - 2\angle POS$ 

- 6. It is given that  $\angle XYZ = 64^{\circ}$  and XY is produced to point P. Draw a figure from the given information. If ray YQ bisects  $\angle ZYP$ , find  $\angle XYQ$  and reflex  $\angle QYP$ .
- **Sol.** Ray YQ bisects ∠PYZ.

$$\therefore \frac{1}{2} \angle PYZ = \angle PYQ = \angle QYZ \dots (i)$$
Ray YZ stands on line PX.
$$\therefore \angle PYZ + \angle ZYX = 180^{\circ} \qquad \text{[Linear pair]}$$

$$\Rightarrow 2\angle PYQ + 64^{\circ} = 180^{\circ} \qquad \text{[From (i)]}$$

$$\Rightarrow 2\angle PYQ = 180^{\circ} - 64^{\circ} = 116^{\circ}$$

$$\Rightarrow \angle PYQ = 58^{\circ} \qquad \dots (ii)$$

$$\therefore \text{ Reflex } \angle QYP = 360^{\circ} - \angle PYQ = 360^{\circ} - 58^{\circ} = 302^{\circ}.$$
Also  $\angle XYQ = \angle XYZ + \angle QYZ = 64^{\circ} + 58^{\circ} = 122^{\circ}.$ 
[From (i), (ii)]


## **FREE Study Materials**

Get NCERT Solutions, RD Sharma Solutions, Previous Year Papers, Important Questions, Formula Sheets & much more.

www.mathongo.com

## Exercise 6.2

**1.** In figure given below, find the values of x and y and then show that  $AB \mid \mid CD$ .



Sol.

$$y = 130^{\circ}$$
 [Vertically opposite angles]

Further,  $50^{\circ} + x = 180^{\circ}$ 

[Linear pair]

$$\Rightarrow$$

$$x = 130^{\circ}$$

Hence,

$$x = y = 130^{\circ}$$


Transversal intersects lines AB and CD.

Such that x = y.

[Alternate interior angles]

Hence, AB | CD.

2. In figure, if AB || CD, CD || EF and y: z = 3: 7, find x.



...(*i*) [Given]

$$\angle 1 = y$$


[Vertically opposite angles]

 $\angle 1 + z = 180^{\circ}$ [CD  $\parallel$  EF and  $\angle 1$ ,  $\angle z$  are on the

same side of the transversal]

$$\Rightarrow$$
  $y + z = 180^{\circ}$ 

...(ii)



Given: 
$$y: z = 3: 7 \implies \frac{y}{z} = \frac{3}{7} \implies y = \frac{3z}{7}$$

$$\therefore \quad \frac{3z}{7} + z = 180^{\circ} \quad \Rightarrow \quad \frac{10z}{7} = 180^{\circ}$$


[From (*ii*)]

⇒ 
$$z = 126^{\circ}$$
  
∴  $y = 180^{\circ} - 126^{\circ} = 54^{\circ}$ 

Now, AB || CD and transversal intersects these lines.

$$\therefore x + y = 180^{\circ} \implies x + 54^{\circ} = 180^{\circ} \implies x = 180^{\circ} - 54^{\circ} = 126^{\circ}.$$

3. In figure,  $AB \mid \mid CD$ ,  $EF \perp CD$  and  $\angle GED = 126^{\circ}$ , find  $\angle AGE$ ,  $\angle GEF$  and  $\angle FGE$ .



**Sol.** AB || CD and GE is transversal.

[Alternate angles]

$$\Rightarrow$$
 AGE = 126°.

 $\angle$ GED =  $\angle$ GEF +  $\angle$ FED

$$\Rightarrow$$
 126° =  $\angle$ GEF + 90°

[∵ EF ⊥ CD]

$$\Rightarrow$$

Further,

 $\angle GEF = 126^{\circ} - 90^{\circ} = 36^{\circ}.$ 

Again, AB || CD and GE is transversal.


∴ ∠FGE + ∠GED = 180° [Sum of interior angles on the same side of transversal is 180°.]

$$\Rightarrow$$
  $\angle$ FGE + 126° = 180°

$$\Rightarrow$$
  $\angle FGE = 180^{\circ} - 126^{\circ} = 54^{\circ}.$ 

**4.** In figure, if  $PQ \mid \mid ST, \angle PQR = 110^{\circ}$  and  $\angle RST = 130^{\circ}$ , find  $\angle QRS$ .

[Hint: Draw a line parallel to ST through point R.]



**Sol. Construction:** Through R draw a line XRY parallel to PQ.


**Proof:** PQ ∥ XRY and QR is transversal.

$$\therefore$$
  $\angle PQR = \angle QRY = 110^{\circ}$  ...(*i*) [Alternate angles]

[Given]

and PQ || RY

[Construction]



- ∴ ST || XRY and SR is transversal.
- $\therefore$   $\angle$ TSR +  $\angle$ SRY = 180°

[Sum of interior angles on the same side of transversal]

$$\Rightarrow$$
 130° +  $\angle$ SRY = 180°


$$\Rightarrow$$
  $\angle SRY = 180^{\circ} - 130^{\circ} = 50^{\circ}$  ...(ii)

Also,  $\angle ORY = \angle ORS + \angle SRY$ 

$$\Rightarrow$$
 110° =  $\angle$ QRS + 50° [From (i) and (ii)]

$$\Rightarrow$$
  $\angle QRS = 110^{\circ} - 50^{\circ} = 60^{\circ}$ .

5. In figure, if  $AB \parallel CD$ ,  $\angle APQ = 50^{\circ}$  and  $\angle PRD = 127^{\circ}$ , find x and y.



**Sol.** AB || CD and PQ is transversal.

$$\therefore$$
  $\angle PQR = \angle APQ \Rightarrow x = 50^{\circ}$ 


Again AB || CD and PR is transversal.

$$\therefore$$
  $\angle APR = \angle PRD$  [Alternate angles]

$$\Rightarrow \angle APQ + \angle QPR = \angle PRD.$$

$$\Rightarrow$$
 50° + y = 127°  $\Rightarrow$  y = 127° - 50° = 77°.

**6.** In figure, PQ and RS are two mirrors placed parallel to each other. An incident ray AB strikes the mirror PQ at B, the reflected ray moves along the path BC and strikes the mirror RS at C and again reflects back along CD. Prove that AB | CD.



**Sol. Construction:** Draw BE perpendicular to PQ and CF perpendicular to RS.

**Proof:** As BE  $\perp$  PQ and CF  $\perp$  RS and PQ || RS.

Also, we know

Angle of incidence

= angle of reflection.

i.e., 
$$\angle ABE = \angle EBC = x$$
.......(ii)

and 
$$\angle BCF = \angle FCD = y....(iii)$$

From (i), BE | | CF and BC is transversal.

[Alternate angles]


$$\Rightarrow$$
  $x = y \Rightarrow 2x = 2y$ 

$$\Rightarrow$$
  $\angle ABC = \angle BCD$  [From (ii) and (iii)]

But these are alternate angles. Hence, AB  $\parallel$  CD

## Exercise 6.3

**1.** In figure, sides QP and RQ of  $\triangle$  PQR are produced to points S and T respectively. If  $\angle$  SPR = 135° and  $\angle$  PQT = 110°, find  $\angle$  PRQ.



Sol.

[Exterior angle of a triangle is equal to sum of interior opposite angles]

$$\Rightarrow 110^{\circ} = \angle QPR + \angle PRQ \qquad ...(i)$$


Also, 
$$\angle SPR + \angle QPR = 180^{\circ}$$
 [Linear pair]

$$\Rightarrow$$
 135° +  $\angle$ QPR = 180°  $\Rightarrow$   $\angle$ QPR = 180° - 135° = 45°.

Substituting the value of  $\angle$  QPR in (*i*), we get

$$110^{\circ} = 45^{\circ} + \angle PRQ \Rightarrow \angle PRQ = 110^{\circ} - 45^{\circ} = 65^{\circ}.$$

2. In figure,  $X = 62^{\circ}$ ,  $\angle XYZ = 54^{\circ}$ . If YO and ZO are the bisectors of  $\angle XYZ$  and  $\angle XZY$  respectively of  $\triangle XYZ$ , find  $\angle OZY$  and  $\angle YOZ$ .



**Sol.** In  $\triangle XYZ$ ,  $\angle X + \angle XYZ + \angle YZX = 180^{\circ}$ 

[Angle sum property]

$$\Rightarrow$$
 62° + 54° +  $\angle$ YZX = 180°

$$\Rightarrow \angle YZX = 180^{\circ} - 116^{\circ} = 64^{\circ} \qquad \dots(i)$$

Also,  $\angle YZX = 2\angle OZY$  [: OZ is bisector of  $\angle YZX$ ]

$$\Rightarrow$$
 2\(\times 0\)ZY = 64°  $\Rightarrow$  \(\times 0\)ZY = 32° \quad \(\times (ii)\) [From (i)]

Also, 
$$\angle OYZ = \frac{1}{2} \angle XYZ = \frac{1}{2} \times 54^{\circ} = 27^{\circ}$$
 ...(iii)

[OY is bisector of ∠XYZ]

In  $\triangle$ OYZ,  $\angle$ OYZ +  $\angle$ OZY +  $\angle$ YOZ =  $180^{\circ}$ 


[Sum of angles of a triangle is 180°.]

$$\Rightarrow$$
 27° + 32° +  $\angle$ YOZ = 180°

$$\Rightarrow$$
  $\angle YOZ = 180^{\circ} - 59^{\circ} = 121^{\circ}$ 

Thus,  $\angle OZY = 32^{\circ}$  and  $\angle YOZ = 121^{\circ}$ .

3. In figure, if  $AB \mid \mid DE$ ,  $\angle BAC = 35^{\circ}$  and  $\angle CDE = 53^{\circ}$ , find  $\angle DCE$ .



**Sol.** AB || DE and AE is transversal.

$$\therefore \qquad \angle DEC = \angle BAC = 35^{\circ} \qquad \dots(i)$$

Now, in triangle CDE,

$$\angle$$
CDE = 53° ...(ii) [Given]


and  $\angle DCE + \angle DEC + \angle CDE = 180^{\circ}$ 

[Sum of angles of a triangle is 180°.]

$$\Rightarrow$$
  $\angle DCE + 35^{\circ} + 53^{\circ} = 180^{\circ}$  [From (i) and (ii)]

$$\Rightarrow$$
  $\angle DCE = 180^{\circ} - 88^{\circ} = 92^{\circ}$ .

**4.** In figure, if lines PQ and RS intersect at point T, such that  $\angle$  PRT = 40°,  $\angle$  RPT = 95° and  $\angle$  TSQ = 75°, find  $\angle$  SQT.



**Sol.** In  $\triangle PRT$ ,  $\angle P + \angle R + \angle PTR = 180^{\circ}$ 

[Sum of angles of a triangle is 180°.]

$$\Rightarrow$$
 95° + 40° +  $\angle$ PTR = 180°

$$\Rightarrow$$
  $\angle PTR = 180^{\circ} - 135^{\circ} = 45^{\circ}$  ...(i)

Also,  $\angle STQ = \angle PTR$ 

[Vertically opposite angles]

$$\Rightarrow$$
  $\angle STQ = 45^{\circ}$ . ...(ii) [From (i)]


In  $\triangle TSQ$ ,  $\angle STQ + \angle S + \angle TQS = 180^{\circ}$ 

[Sum of angles of a triangle is 180°.]

$$\Rightarrow$$
 45° + 75° +  $\angle$ TQS = 180°

$$\Rightarrow$$
  $\angle TQS = 180^{\circ} - 120^{\circ} = 60^{\circ}.$ 

5. In figure, if  $PQ \perp PS$ ,  $PQ \mid \mid SR$ ,  $\angle SQR = 28^{\circ}$  and  $\angle QRT = 65^{\circ}$ , then find the values of x and y.



**Sol.** PQ  $\parallel$  SR and QR is transversal.

$$\therefore$$
  $\angle PQR = \angle QRT$  [Alternate angles]

$$\Rightarrow \angle PQS + \angle SQR = \angle QRT$$

$$\Rightarrow$$
  $x + 28^{\circ} = 65^{\circ} \Rightarrow x = 65^{\circ} - 28^{\circ} = 37^{\circ} ...(i)$ 

In right-angled triangle SPQ,


$$\angle P + y + x = 180^{\circ}$$

[Sum of angles of a triangle is  $180^{\circ}$ .]

$$\Rightarrow$$
 90° + y + 37° = 180°  $\Rightarrow$  y = 180° - 127° = 53°.

**6.** In figure, the side QR of  $\triangle PQR$  is produced to a point S. If the bisectors of  $\angle PQR$  and  $\angle PRS$  meet at point T, then prove that

$$\angle QTR = \frac{1}{2} \angle QPR.$$



**Sol.** 
$$\angle PRT = \angle TRS = \frac{1}{2} \angle PRS$$
 ...(*i*)

[∵ TR is bisector of ∠PRS]

and 
$$\angle PQT = \angle TQR = \frac{1}{2} \angle PQR$$
 ...(ii)

[: TQ is bisector of  $\angle PQR$ ]

Also, 
$$\angle PRS = \angle QPR + \angle PQR$$
 ...(iii)

[Exterior angle of a triangle is equal to sum of interior opposite angles.]

and 
$$\angle TRS = \angle QTR + \angle TQR$$
 ...(iv)

[Reason same as above]

From (i), (iii) and (iv),

$$\angle QPR + \angle PQR = 2(\angle QTR + \angle TQR)$$

$$\Rightarrow \angle QPR + \angle PQR = 2\angle QTR + 2\angle TQR$$

$$\Rightarrow \angle QPR + \angle PQR = 2\angle QTR + \angle PQR$$
 [From (ii)]

$$\Rightarrow$$
  $\angle QPR = 2 \angle QTR$ 

$$\Rightarrow \qquad \angle QTR = \frac{1}{2} \angle QPR.$$